



PALM INTRANET

Day: Wednesday
Date: 7/20/2005
Time: 13:21:30

Inventor Name Search Result

Your Search was:

Last Name = HAYASHI
First Name = HIROKAZU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
11002338	Not Issued	030	12/03/2004	METHOD OF EVALUATING SEMICONDUCTOR DEVICE	HAYASHI, HIROKAZU
10282011	Not Issued	030	11/16/2004	SEMICONDUCTOR DEVICE AND METHOD OF MANUFACTURING THE SAME	HAYASHI, HIROKAZU
10933271	Not Issued	020	09/03/2004	ESD PROTECTION DEVICE MODELING METHOD AND ESD SIMULATION METHOD	HAYASHI, HIROKAZU
10780238	Not Issued	030	02/19/2004	EVALUATION TEG FOR SEMICONDUCTOR DEVICE AND METHOD OF EVALUATION	HAYASHI, HIROKAZU
10668261	Not Issued	030	09/24/2003	METHOD FOR MODELING SEMICONDUCTOR DEVICE AND NETWORK	HAYASHI, HIROKAZU
11052176	Not Issued	030	01/17/2002	METHOD FOR MODELING SEMICONDUCTOR DEVICE PROCESS	HAYASHI, HIROKAZU
02821400	6566712	150	06/27/2001	SOI STRUCTURE SEMICONDUCTOR DEVICE AND A FABRICATION METHOD THEREOF	HAYASHI, HIROKAZU
02781421	6524625	150	02/13/2001	METHOD FOR MODELING DIFFUSION OF IMPURITIES IN A SEMICONDUCTOR	HAYASHI, HIROKAZU
02519826	6277684	150	03/06/2000	A METHOD OF FABRICATING A SOI STRUCTURE SEMICONDUCTOR DEVICE	HAYASHI, HIROKAZU
02543860	6331028	150	02/08/1999	PROFILE EXTRACTION METHOD AND PROFILE EXTRACTION APPARATUS	HAYASHI, HIROKAZU
08140532	5432019	150	10/25/1993	PROJECTED IMAGE DISPLAYING APPARATUS AND A METHOD OF CORRECTING COLOR UNEVENNESS THEREIN	HAYASHI, HIROKAZU
07701632	5089101	150	05/15/1991	CATIONIC ELECTRODEPOSITION COATING COMPOSITION	HAYASHI, HIROKAZU
07318720	4943461	150	03/03/1989	ELECTRODEPOSITION COATING COMPOSITION	HAYASHI, HIROKAZU
07293003	Not Issued	166	01/03/1989	CATIONIC ELECTRODEPOSITION COATING COMPOSITION	HAYASHI, HIROKAZU

Inventor Search Completed: No Records to Display.

Search Another: Inventor First Name

To go back use Back button on your browser toolbar.

Back to [PALM | ASSIGNMENT | OASIS | Home](#) page

Search Results

[BROWSE](#) [SEARCH](#) [IEEE XPLORE GUIDE](#)

Results for "reverse short channel effect+in+metadatas"

Your search matched 87 of 1194402 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Search Options

View Session History

New Search

* Key

IEEE JNL IEEE Journal or Magazine
IEEE JNL IEEE Journal or Magazine
IEEE CNF IEEE Conference Proceeding
IEEE CNF IEEE Conference Proceeding
IEEE STD IEEE Standard

Modify Search

[reverse short channel effect+in+metadatas]

25

☐ Check to search only within this results set

Display Format: ☐ Citation ☐ Citation & Abstract

Select Article Information

View: 1.

1. Precise physical modeling of the reverse-short-channel effect for circuit: Suetake, M.; Mura-Matsuuchi, M.; Matsushita, H.; Kumashiro, S.; Shijo, N.; Nakayama, N.;
Simulation of Semiconductor Processes and Devices, 1999. SISPAD 99. 1999 Conference on
8-8 Sept. 1999 Page(s):207 - 210
Digital Object Identifier 10.1109/SISPAD.1999.799297
AbstractPlus | Full Text: EDE(212 KB) IEEE CNF

2. A model for reverse short-channel effects in MOSFETs: Nanyaman, R.; Ortiz-Conde, A.; Liu, J.J.; Colaninno, L.; Wong, W.; Garcia: Devesa, Circuits and Systems, 1995. Proceedings of the 1995 First IEEE Inter Conference on
12-14 Dec. 1995 Page(s):294 - 297
Digital Object Identifier 10.1109/ICCCS.1995.499163
AbstractPlus | Full Text: EDE(208 KB) IEEE CNF

3. Reverse short-channel effects on threshold voltage in submicrometer sal: Lu, C.-Y.; Sung, J.M.;
Electron Device Letters, IEEE
Volume 10, Issue 10, Oct. 1989 Page(s):446 - 448
Digital Object Identifier 10.1109/55.43095
AbstractPlus | Full Text: EDE(204 KB) IEEE JNL

4. The effect of polysilicon doping on the reverse short-channel effect in su: Sadoyukov, A.; Kamilsky, A.; Benjmont, A.; Hopper, P.;
Electron Devices, IEEE Transactions on
Volume 48, Issue 2, Feb. 2001 Page(s):393 - 395
Digital Object Identifier 10.1109/16.902745
AbstractPlus | References | Full Text: EDE(112 KB) IEEE JNL

5. Suppression of MOSFET reverse short channel effect by channel doping: Nagai, K.; Wada, T.; Sajiima, K.; Saito, S.; Ishihara, A.;
Semiconductor Manufacturing Symposium, 2001 IEEE International
8-10 Oct. 2001 Page(s):175 - 178
Digital Object Identifier 10.1109/ISSM.2001.962942

AbstractPlus | Full Text: EDE(246 KB) IEEE CNF

6. Anomalous reverse short-channel effect in p⁺ polysilicon gated P-channel: Chun, Y.; Chang, Chih-Yung; Lin, Jin-Yen; Chou, Hsu, C.-H.; Hong, Tzai-Pan
Electron Device Letters, IEEE
Volume 13, Issue 11, Nov. 1994 Page(s):437 - 439
Digital Object Identifier 10.1109/55.334659
AbstractPlus | Full Text: EDE(212 KB) IEEE JNL

7. Reverse short-channel effect due to lateral diffusion of point-defect indu: source/drain ion implantation
Kunihiko, T.; Mitsui, K.; Fujinaga, M.; Uchida, T.; Kodani, N.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction
Volume 13, Issue 4, April 1994 Page(s):507 - 514
Digital Object Identifier 10.1109/43.275360
AbstractPlus | Full Text: EDE(778 KB) IEEE JNL

8. Techniques for reducing the reverse short channel effect in sub-0.5 µm C: Lutz, J.; Venkatesan, S.;
Electron Device Letters, IEEE
Volume 16, Issue 8, Sept. 1995 Page(s):373 - 375
Digital Object Identifier 10.1109/55.408792
AbstractPlus | Full Text: EDE(204 KB) IEEE JNL

9. Reduction of the reverse short channel effect in thick SOI MOSFETs: Tsoulfas, D.; Tzani, C.; Kouretas, D.N.; Rova, P.; Tsai, E.;
Electron Device Letters, IEEE
Volume 18, Issue 3, March 1997 Page(s):90 - 92
Digital Object Identifier 10.1109/55.558090
AbstractPlus | References | Full Text: EDE(66 KB) IEEE JNL

10. Arsenic deactivation enhanced diffusion and the reverse short-channel e: Roussseau, P.M.; Crowder, S.W.; Griffin, P.B.; Plummer, J.D.;
Electron Device Letters, IEEE
Volume 18, Issue 2, Feb. 1997 Page(s):42 - 44
Digital Object Identifier 10.1109/55.553038
AbstractPlus | References | Full Text: EDE(88 KB) IEEE JNL

11. A novel technique for profiling the lateral n⁺ doping concentrations of sul: MOS devices
Chung, S.S.; Shu-Ming Cheng, Lee, R.G.-H.; Song-Nian Kuoc, Mong-Song Lia
Electron Devices, IEEE Transactions on
Volume 44, Issue 12, Dec. 1997 Page(s):2220 - 2226
Digital Object Identifier 10.1109/16.644641
AbstractPlus | References | Full Text: EDE(220 KB) IEEE JNL

12. Comprehensive analysis of reverse short-channel effect in silicon MOSF: temperature operation
Szalay, B.; Baveira, F.; Ghisbano, G.;
Electron Device Letters, IEEE
Volume 19, Issue 12, Dec. 1998 Page(s):511 - 513
Digital Object Identifier 10.1109/55.735763
AbstractPlus | References | Full Text: EDE(80 KB) IEEE JNL

13. Reverse short-channel effect in metal-induced laterally crystallized poly: transistors
Man Wong, Bui, G.A.; Kwok, H.S.;
Electron Device Letters, IEEE

- Volume 20, Issue 11, Nov. 1999 Page(s):566 - 568
Digital Object Identifier 10.1109/55.789045
AbstractPlus | References | Full Text: PDF(48 KB) IEEE JNL
14. On the reverse short channel effect in deep submicron heterojunction MIT impact on the current-voltage behavior
Colliant, N.; Verheyen, P.; De Meyer, K.;
Electron Devices, IEEE Transactions on
Volume 47, Issue 6, June 2000 Page(s):1214 - 1220
Digital Object Identifier 10.1109/16.842884
AbstractPlus | References | Full Text: PDF(192 KB) IEEE JNL
15. Physical modeling of the reverse-short-channel effect for circuit simulation
Mura-Matsuuchi, M.; Saitake, M.; Matsushita, H.; Kumashiro, S.; Shijo, N.; Nakayama, N.;
Electron Devices, IEEE Transactions on
Volume 48, Issue 10, Oct. 2001 Page(s):2449 - 2452
Digital Object Identifier 10.1109/16.954483
AbstractPlus | References | Full Text: PDF(120 KB) IEEE JNL
16. Suppression of reverse-short-channel effect in sub-0.1 μm n-MOSFETs by implantation
Tsuno, M.; Tanaka, M.; Koh, M.; Iwamoto, K.; Murakami, H.; Shibahara, K.; Mi, Electronics Letters
Volume 35, Issue 6, 18 March 1999 Page(s):508 - 509
Digital Object Identifier 10.1049/el:19990325
AbstractPlus | Full Text: PDF(220 KB) IEEE JNL
17. Physical model of threshold voltage in silicon MOS transistors including channel effect
Brd, H.; Juge, A.; Ghibaudo, G.;
Electron Devices, IEEE Transactions on
Volume 31, Issue 5, 2 March 1995 Page(s):411 - 412
AbstractPlus | Full Text: PDF(198 KB) IEEE JNL
18. Suppression of the reverse short channel effect in sub-micron CMOS devices
Thomson, M.; Prasad, J.; De Grave, J.;
Semiconductor Device Research Symposium, 2000 International
10-12 Dec. 2003 Page(s):420 - 421
Digital Object Identifier 10.1109/SDRS.2003.1272162
AbstractPlus | Full Text: PDF(206 KB) IEEE CNF
19. Suppression of reverse short channel effect by high energy implantation
Chaudhry, S.; Rafferty, C.S.; Nagy, W.J.; Chyan, Y.F.; Carroll, M.S.; Chen, A.
Electron Devices Meeting, 1997. Technical Digest., International
7-10 Dec. 1997 Page(s):679 - 682
Digital Object Identifier 10.1109/IEDM.1997.650474
AbstractPlus | Full Text: PDF(480 KB) IEEE CNF
20. Suppression of reverse short channel effect by nitrogen implantation and on nitrogen as a dopant species for applications in 0.25 μm technology
Lee, T.K.; Liu, P.C.; Gan, C.H.; Zhang, Y.Q.; Nga, Y.A.;
Electron Devices Meeting, 1997. Proceedings., 1997 IEEE Hong Kong
30 Aug. 1997 Page(s):61 - 64
Digital Object Identifier 10.1109/HKEDM.1997.642332
AbstractPlus | Full Text: PDF(300 KB) IEEE CNF
21. The influence of process physics on the MOS device performance the ca

<http://ieeexplore.ieee.org/search/searchresult.jsp?query1=reverse+short+channel+effect&s...> 7/20/2005

- short channel effect
Tsoukas, D.; Tarnis, C.;
Semiconductor Conference, 1997. CAS '97 Proceedings., 1997 International
Volume 2, 7-11 Oct. 1997 Page(s):415 - 424 vol.2
Digital Object Identifier 10.1109/SMICND.1997.651238
AbstractPlus | Full Text: PDF(652 KB) IEEE CNF
22. The role of boron segregation and transient enhanced diffusion on reverse effect
Machala, C.; Wile, R.; Mercer, D.; Chatterjee, A.;
Simulation of Semiconductor Processes and Devices, 1997. SISPAD '97., 199
Conference on
8-10 Sept. 1997 Page(s):141 - 143
Digital Object Identifier 10.1109/SISPAD.1997.621357
AbstractPlus | Full Text: PDF(260 KB) IEEE CNF
23. Simulation of reverse short channel effects with a consistent point-defect model
Sakamoto, H.; Kumashiro, S.; Hirai, M.; Hane, M.; Matsumoto, H.;
Simulation of Semiconductor Processes and Devices, 1997. SISPAD '97., 199
Conference on
8-10 Sept. 1997 Page(s):137 - 140
Digital Object Identifier 10.1109/SISPAD.1997.621356
AbstractPlus | Full Text: PDF(260 KB) IEEE CNF
24. Boron diffusion model refinement and its effect on the calculation of raw channel effect
Hane, M.; Rafferty, C.S.; Ikezawa, T.; Matsumoto, H.;
Simulation of Semiconductor Processes and Devices, 1996. SISPAD '96., 1996
Conference on
2-4 Sept. 1996 Page(s):15 - 16
AbstractPlus | Full Text: PDF(148 KB) IEEE CNF
25. Dopant diffusion model refinement and its impact on the calculation of raw channel effect
Hane, M.; Ikezawa, T.; Hirai, M.; Matsumoto, H.;
Electron Devices Meeting, 1996., International
8-11 Dec. 1996 Page(s):803 - 806
Digital Object Identifier 10.1109/IEDM.1996.554101
AbstractPlus | Full Text: PDF(268 KB) IEEE CNF

View: 1.

induced by
inspec

Help Contact Us Privacy &
© Copyright 2005 IEEE -

<http://ieeexplore.ieee.org/search/searchresult.jsp?query1=reverse+short+channel+effect&s...> 7/20/2005

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "reverse short channel effect<pin>metadata"

Your search matched 67 of 1194402 documents.

A maximum of 67 results are displayed, 25 to a page, sorted by Relevance in Descending order.

E-mail

Search Options

Modify Search

View Session History

[reverse short channel effect<pin>metadata]

25

New Search

Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

Key

IEEE JNL

Select Article Information

View: L

IEEE Journal or Magazine

IEEE JNL

26. On the reverse short-channel effects of submicron MOSFETs

IEEE CNF

IEEE Conference Proceeding

Narayanan, R.; Lall, Z.; Ortiz-Conde, A.; Liu, J.J.; Golovynov, L.; Wong, W. F.J.;

IEEE CNF

IEEE Conference Proceeding

Southcoast96, Conference Record 26-27 June 1996 Page(s):345 - 349

IEEE STD

IEEE Standard

Digital Object Identifier 10.1109/SOUTHC.1996.535091

AbstractPlus | Full Text: EDE(294 KB) IEEE CNF

27. Reverse short-channel effects and channel engineering in deep-submicron modeling and optimization

Bin Yu; Nowak, E.; Noda, K.; Chenming Hu;

VLSI Technology, 1996. Digest of Technical Papers, 1996 Symposium on

11-13 June 1996 Page(s):162 - 163

Digital Object Identifier 10.1109/VLSIT.1996.507833

AbstractPlus | Full Text: EDE(204 KB) IEEE CNF

28. Reverse short channel effect and channel length dependence of boron p-

PMOSFETs

Subramanian, C.; Hayden, J.; Taylor, W.; Orlovski, M.; McNeily, T.;

Electron Devices Meeting, 1995., International

10-13 Dec. 1995 Page(s):423 - 426

Digital Object Identifier 10.1109/IEDM.1995.499229

AbstractPlus | Full Text: EDE(288 KB) IEEE CNF

29. The effect of source/drain processing on the reverse short channel effect

micron bulk and SOI NMOSFETs

Crowder, S.W.; Rousseau, P.M.; Snyder, J.P.; Scott, J.A.; Griffin, P.B.; Plumm

Electron Devices Meeting, 1995., International

10-13 Dec. 1995 Page(s):427 - 430

Digital Object Identifier 10.1109/IEDM.1995.499230

AbstractPlus | Full Text: EDE(366 KB) IEEE CNF

30. Silicon film thickness and material dependence of "reverse short channel

NMOSFETs

Religopol, R.; Schiebel, R.; Iyer, S.S.K.; Joyner, K.; Houston, T.W.;

Electron Devices Meeting, 1995., International

10-13 Dec. 1995 Page(s):533 - 536

Digital Object Identifier 10.1109/IEDM.1995.499255

AbstractPlus | Full Text: EDE(344 KB) IEEE CNF

31. Evidence of channel profile modification due to implantation damage and its implication to reverse short channel effects of nMOSFET

Nishi, K.; Matsunishi, H.; Ogihara, T.; Kasai, M.; Nishikawa, T.;

Electron Devices Meeting, 1995., International

10-13 Dec. 1995 Page(s):993 - 996

Digital Object Identifier 10.1109/IEDM.1995.499383

AbstractPlus | Full Text: EDE(168 KB) IEEE CNF

32. MOSFET reverse short channel effect due to silicon interstitial capture in

Jacobs, H.; von Schwerin, A.; Scharfetter, D.; Lau, F.;

Electron Devices Meeting, 1993. Technical Digest., International

5-8 Dec. 1993 Page(s):307 - 310

Digital Object Identifier 10.1109/IEDM.1993.347246

AbstractPlus | Full Text: EDE(260 KB) IEEE CNF

33. Explanation of reverse short channel effect by defect gradients

Rafferty, C.S.; Vuong, H.-H.; Estreich, S.A.; Giles, M.D.; Pinto, M.R.; Hitenius

Electron Devices Meeting, 1993. Technical Digest., International

5-8 Dec. 1993 Page(s):311 - 314

Digital Object Identifier 10.1109/IEDM.1993.347245

AbstractPlus | Full Text: EDE(256 KB) IEEE CNF

34. Suppression of MOSFET reverse short channel effect by N₂O gate poly n

Tsai, P.G.Y.; Hsing-Huang Tseng; Orlovski, M.; Shih-Wei Sun; Tsohn, P.J.; Re

W.J.;

Electron Devices Meeting, 1994. Technical Digest., International

11-14 Dec. 1994 Page(s):501 - 504

Digital Object Identifier 10.1109/IEDM.1994.383359

AbstractPlus | Full Text: EDE(268 KB) IEEE CNF

35. The drain threshold voltage V_{th} in submicrometer MOS transistors at 4.2

Edmunds, A.; Guillemez, D.;

Electron Devices Letters, IEEE

Volume 16, Issue 3, March 1995 Page(s):85 - 87

Digital Object Identifier 10.1109/55.363232

AbstractPlus | Full Text: EDE(168 KB) IEEE JNL

36. Short-channel effect improved by lateral channel engineering in deep-sub

MOSFETs

Bin Yu; Wann, C.H.J.; Nowak, E.D.; Noda, K.; Chenming Hu;

Electron Devices, IEEE Transactions on

Volume 44, Issue 4, April 1997 Page(s):627 - 634

Digital Object Identifier 10.1109/55.663368

AbstractPlus | References | Full Text: EDE(384 KB) IEEE JNL

37. Nonculling of MOSFETs linear resistance in the deep submicrometer re

Esseni, D.; Iwai, H.; Saito, M.; Ricco, B.;

Electron Device Letters, IEEE

Volume 19, Issue 4, April 1998 Page(s):131 - 133

Digital Object Identifier 10.1109/55.663337

AbstractPlus | References | Full Text: EDE(120 KB) IEEE JNL

38. Sub-50-nm physical gate length CMOS technology and beyond using air

Wakabayashi, H.; Ueki, M.; Nishino, M.; Fukui, T.; Kawasaki, N.; Matsuda, T.;

Takeuchi, K.; Ochiai, Y.; Mogami, T.; Kurita, T.;

- Electron Devices, IEEE Transactions on
Volume 49, Issue 1, Jan. 2002 Page(s):89 - 95
Digital Object Identifier 10.1109/16.974754
AbstractPlus | Full Text: DDE(193 KB) IEEE JNL
39. Pocket implantation effect on drain current flicker noise in analog nMOSI
Jun-Wai Wu; Chih-Chang Cheng; Kai-Lin Chiu; Jyh-Chyurn Guo; Wai-Yi Lian;
Chang-Gou Wei Huang; Tai-Hui Wang;
Electron Devices, IEEE Transactions on
Volume 51, Issue 8, Aug. 2004 Page(s):1262 - 1266
Digital Object Identifier 10.1109/ED.2004.831369
AbstractPlus | References | Full Text: DDE(480 KB) IEEE JNL
40. Effects of N_2O -annealed sacrificial oxide on the short-channel effects of
Jong, F.C.; Huang, T.Y.; Chao, T.S.; Lin, H.C.; Wang, M.F.; Chang, C.Y.;
Electronics Letters
Volume 34, Issue 4, 19 Feb. 1998 Page(s):404 - 406
AbstractPlus | Full Text: DDE(340 KB) IEEE JNL
41. Impact of additional LDD rapid thermal annealing on submicron nMOSFET
Quan Wenhang; Leong, Y.K.W.; Wang Yowen; Li Yisuo; Pandey Sheela Mani;
Benjamin, F.; Chu, S.;
Advanced Semiconductor Manufacturing Conference and Workshop, 2003 IEE
31 March-1 April 2003 Page(s):234 - 237
AbstractPlus | Full Text: DDE(288 KB) IEEE CNF
42. A drain current model for MOSFETs with pocket implantation
Yang-Hua Chang; Ching-Sung Ho; Wen-Tai Liaw; Chung-Cha Liu;
Electron Devices Meeting, 2001. Proceedings. 2001 IEEE Hong Kong
30 June 2001 Page(s):42 - 45
Digital Object Identifier 10.1109/HKEDM.2001.946914
AbstractPlus | Full Text: DDE(216 KB) IEEE CNF
43. Device characteristics and reliability for 0.18 μ m MOSFET with 20 Å gate
RTO
Jeong-Hwan Yang; Dae-Rim Kang; Saong-Ho Kwak; Su-Chul Lee; Young-W
Pyuk Suh;
VLSI and CAD, 1999. ICVC '99. 6th International Conference on
26-27 Oct. 1999 Page(s):253 - 256
Digital Object Identifier 10.1109/ICVC.1999.820697
AbstractPlus | Full Text: DDE(280 KB) IEEE CNF
44. TCAD simulation of the nitrogen effect by NO-nitrided oxide
Kyong-Ha Lee; Jun-Seok Lee; Hyun-Cheol Kim; Jeong-Mo Hwang;
VLSI and CAD, 1999. ICVC '99. 6th International Conference on
26-27 Oct. 1999 Page(s):423 - 426
Digital Object Identifier 10.1109/ICVC.1999.820652
AbstractPlus | Full Text: DDE(248 KB) IEEE CNF
45. High performance 0.18 μ m nMOSFET by TED suppression
Hyun-Sik Kim; Jong-Hyon Ahn; Duk-Min Lee; Soo-Cheol Lee; Kwang-Pyuk Su
VLSI and CAD, 1999. ICVC '99. 6th International Conference on
26-27 Oct. 1999 Page(s):140 - 142
Digital Object Identifier 10.1109/ICVC.1999.820651
AbstractPlus | Full Text: DDE(192 KB) IEEE CNF
46. Scalable threshold voltage model for deep-submicrometer MOSFET
Kehng, J.R.; Kim, J.H.; Jo, M.S.; Yoon, H.S.;

<http://ieeexplore.ieee.org/search/searchresult.jsp?queryText=%28+reverse+short+channel...> 7/20/2005

- VLSI and CAD, 1999. ICVC '99. 6th International Conference on
26-27 Oct. 1999 Page(s):518 - 521
Digital Object Identifier 10.1109/ICVC.1999.820690
AbstractPlus | Full Text: DDE(160 KB) IEEE CNF
47. New optimization guidelines for sub-0.1 μ m CMOS technologies with 2 m
oxynitrides
Fuliyara, M.; Takayanagi, M.; Toyoshima, Y.;
VLSI Technology, 1999. Digest of Technical Papers. 1999 Symposium on
14-16 June 1999 Page(s):121 - 122
Digital Object Identifier 10.1109/VLSIT.1999.799373
AbstractPlus | Full Text: DDE(140 KB) IEEE CNF
48. Suppression of reverse short channel effect by a buried carbon layer
Gossmann, H.-J.; Rafferty, C.S.; Hobler, G.; Vuong, H.-H.; Jacobson, D.C.; Fu
Electron Devices Meeting, 1998. IEDM '98 Technical Digest., International
6-9 Dec. 1998 Page(s):725 - 728
Digital Object Identifier 10.1109/IEDM.1998.746459
AbstractPlus | Full Text: DDE(280 KB) IEEE CNF
49. Effects of halo implant on hot carrier reliability of sub-quarter micron MO
Das, A.; De, H.; Mitra, V.; Venkatesan, S.; Venkatesh, S.; Foley, M.;
Reliability Physics Symposium Proceedings, 1998. 36th Annual, 1998 IEEE in
31 March-2 April 1998 Page(s):189 - 193
Digital Object Identifier 10.1109/RELPHY.1998.670539
AbstractPlus | Full Text: DDE(412 KB) IEEE CNF
50. Impact of nitrogen implant prior to the gate oxide growth on transient enl
Kangar, A.; Vuong, H.-H.; Liu, C.T.; Rafferty, C.S.; Clemens, J.T.;
Electron Devices Meeting, 1997. Technical Digest., International
7-10 Dec. 1997 Page(s):695 - 698
Digital Object Identifier 10.1109/IEDM.1997.650478
AbstractPlus | Full Text: DDE(320 KB) IEEE CNF

View: 1.

Indexed by
AllSpec

Help Contact Us Privacy &
© Copyright 2005 IEEE -

<http://ieeexplore.ieee.org/search/searchresult.jsp?queryText=%28+reverse+short+channel...> 7/20/2005